### **IN THE SPECIFICATION:**

Please amend the specification as follows:

Please replace the paragraph beginning at page 1, line 5 with the following rewritten paragraph.

### AIM FIELD OF THE INVENTION

Please replace the paragraph beginning at page 1, line 27 with the following rewritten paragraph.

## **SUMMARY OF THE INVENTION DESCRIPTION**

Please replace the paragraphs beginning at page 2, line 16 through page 2, line 21 with the following rewritten paragraphs.

It must be noted that all of the holes on the box wings are facing each other in a corresponding manner on both wings to make the box is reversible.

The lid to close the box has a "U"-shaped prismatic construction to close by positioning its wings, closing the ends of the box and its centre and closing the entire lengthways side of the box between the free ends of the box wings.

Please replace the paragraph beginning at page 4, line 1 with the following rewritten paragraph.

## **BRIEF** DESCRIPTION OF THE FIGURES

Please replace the paragraph beginning at page 4, line 20 with the following rewritten paragraph.

# <u>DETAILED DESCRIPTION OF THE PREFERRED IMPLEMENTATION OF THE PREFERRED IMPLEMENTATION OF THE PREFERRED IMPLEMENTATION OF THE PREFERRED IMPLEMENTATION OF THE IMPLEMENTATION OF T</u>

Please replace the paragraph beginning at page 4, line 25 through page 4, line 27 with the following rewritten paragraph.

The box (1) is fitted to one of the parts of the furniture (4a) to be assembly assembled using setscrews (5), as can be seen in Figures 2 to 4. The other part of the furniture (4b) to be attached has pivots (6) fixed to it.

Please replace the paragraph beginning at page 5, line 23 through page 5, line 28 with the following rewritten paragraph.

A return screw spring (9) mounted on the slide screw (8) between the end of the handle (2) and the inside of the wing (31) on the lid (3) also ensures the sliding of the handle (2). The return spring (9) forces the handle (2) to slide lengthways in the opposite direction to that of tightening the slide screw (8), the handle (2) always being placed in a inoperative position. The presence of the return spring (9) is essential for dismantling parts of the furniture (4a, 4b).

Please replace the paragraph beginning at page 6, line 15 through page 6, line 17 with the following rewritten paragraph.

By tightening the slide screw (8), the handle (2) slides and the lower wedges (24) drive the heads (61) of the pivots (61) to secure and fix the parts of the piece of furniture (4a, 4b), as is seen in Figure 4.

Please replace the paragraph beginning at page 6, line 23 through page 6, line 26 with the following rewritten paragraph.

Once the nature of the invention has been described and an example give given of its preferred implementation, it must be noted that the materials, shape, size and layout of the items described may be modified, provided that this does not alter the essential features of the invention claimed below.